



## Revised Groundwater Level Monitoring Network

# Santa Rosa Plain Subbasin

## Revised Groundwater Level Monitoring Network

October 1, 2026

---

### **INTRODUCTION**

In 2026, as part of the First Periodic Evaluation for the Santa Rosa Plain Subbasin, a reconciliation between the details of the groundwater level monitoring networks with DWR's data and reporting standards was conducted.

In addition to the representative monitoring points network, the full groundwater level monitoring networks were also assessed and revised. Redundant wells and wells with data quality issues (including missing construction information) and/or access issues were removed from the networks. New monitoring wells and volunteer wells were added to the networks. The revised full groundwater level monitoring networks for the shallow and deep aquifer systems are provided below.



**Table 5-3.1. 2026 Revised Groundwater-Level Monitoring Network for GSP Implementation -  
Santa Rosa Plain Groundwater Subbasin - Shallow Aquifer System**

| Data Management System ID                                               |                    |              |                   |                     |                             |                      |                           |
|-------------------------------------------------------------------------|--------------------|--------------|-------------------|---------------------|-----------------------------|----------------------|---------------------------|
| Station Name                                                            | Station Number     | Type of Well | Well Depth (feet) | Well Depth Category | Screened Interval(s) (feet) | Monitoring Frequency | Additional ID Information |
| <b>Monitored Wells Inside the Santa Rosa Plain Groundwater Subbasin</b> |                    |              |                   |                     |                             |                      |                           |
| <b>Sonoma Water Wells</b>                                               |                    |              |                   |                     |                             |                      |                           |
| SRP0345                                                                 | SCWA_OCC_MW_02     | Observation  | 97                | Shallow (0-200ft)   | 60-80                       | Sub-Daily            |                           |
| SRP0346                                                                 | SCWA_OCC_MW_03     | Observation  | 95                | Shallow (0-200ft)   | 67-87                       | Sub-Daily            |                           |
| SRP0348                                                                 | SCWA_OCC_MW_05     | Observation  | 44                | Shallow (0-200ft)   | 30-50                       | Sub-Daily            |                           |
| SRP0350                                                                 | SCWA_SEB_MW_02     | Observation  | 200               | Shallow (0-200ft)   | 170-190                     | Sub-Daily            |                           |
| SRP0351                                                                 | SCWA_SEB_MW_03     | Observation  | 189               | Shallow (0-200ft)   | 164-184                     | Sub-Daily            |                           |
| SRP0355                                                                 | SCWA_SEB_MW_07     | Observation  | 90                | Shallow (0-200ft)   | 70-90                       | Sub-Daily            |                           |
| SRP0357                                                                 | SCWA_TODD_RED      | Observation  | 80                | Shallow (0-200ft)   | 60-80                       | Sub-Daily            |                           |
| SRP0364                                                                 | SCWA_Copeland_C-5  | Observation  | 26                | Shallow (0-200ft)   | 11.4-26.4                   | Sub-Daily            |                           |
| SRP0366                                                                 | SCWA_Copeland_A-2  | Observation  | 37                | Shallow (0-200ft)   | 20-35                       | Sub-Daily            |                           |
| SRP0367                                                                 | SCWA_Copeland_A-3  | Observation  | 122               | Shallow (0-200ft)   | 105-120                     | Sub-Daily            |                           |
| SRP0374                                                                 | SCWA_Airport_MW_01 | Observation  | 60                | Shallow (0-200ft)   | 40-60                       | Sub-Daily            |                           |

**Table 5-3.1. 2026 Revised Groundwater-Level Monitoring Network for GSP Implementation -  
Santa Rosa Plain Groundwater Subbasin - Shallow Aquifer System**

| Data Management System ID |                      |              |                   |                     |                             |                      |                                          |
|---------------------------|----------------------|--------------|-------------------|---------------------|-----------------------------|----------------------|------------------------------------------|
| Station Name              | Station Number       | Type of Well | Well Depth (feet) | Well Depth Category | Screened Interval(s) (feet) | Monitoring Frequency | Additional ID Information                |
| SRP0375                   | SCWA_Airport_MW_02   | Observation  | 140               | Shallow (0-200ft)   | 120-140                     | Sub-Daily            |                                          |
| <b>SRPGSA Wells</b>       |                      |              |                   |                     |                             |                      |                                          |
| SRP0707                   | SRP-F07-04_Fulton    | Observation  | 50.5              | Shallow (0-200ft)   | 30-50                       | Sub-Daily            | Mark West Creek at Fulton Rd.            |
| SRP0708                   | SRP-H07-01_Mark West | Observation  | 25.5              | Shallow (0-200ft)   | 15-25                       | Sub-Daily            | Mark West Creek at Mark West Springs Rd. |
| SRP0709                   | SRP-C09-01_River Rd  | Observation  | 33.5              | Shallow (0-200ft)   | 23-33                       | Sub-Daily            | Mark West Creek at River Rd              |
| SRP0710                   | SRP-H18-02_Stony     | Observation  | 45.5              | Shallow (0-200ft)   | 35-45                       | Sub-Daily            | Laguna de Santa Rosa at Stony Point Rd.  |
| SRP0711                   | SRP-F16-01_Llano     | Observation  | 45.5              | Shallow (0-200ft)   | 35-45                       | Sub-Daily            | Colgan Creek at Llano Rd.                |
| SRP0712                   | SRP-C13-03_Sanford   | Observation  | 48.5              | Shallow (0-200ft)   | 28-48                       | Sub-Daily            | Laguna de Santa Rosa at Occidental Rd.   |
| SRP0713                   | SRP-D11-02_Willow    | Observation  | 45.5              | Shallow (0-200ft)   | 25-45                       | Sub-Daily            | Santa Rosa Creek at Willowside Rd.       |
| SRP0714                   | SRP-H12-01_Pierson   | Observation  | 51.5              | Shallow (0-200ft)   | 41-51                       | Sub-Daily            | Santa Rosa Creek at Pierson St.          |
| SRP0715                   | SRP-H10-04_Hardies   | Observation  | 40.5              | Shallow (0-200ft)   | 30-40                       | Sub-Daily            | Paulin Creek at Hardies Ln.              |
| SRP0716                   | SRP-H10-04s_Hardies  | Observation  | 20.5              | Shallow (0-200ft)   | 15-20                       | Sub-Daily            | Paulin Creek at Hardies Ln - Shallow     |
| SRP0736                   | SRPDMW-1-95          | Observation  | 95                | Shallow (0-200ft)   | 75-90                       | Sub-Daily            |                                          |

**Table 5-3.1. 2026 Revised Groundwater-Level Monitoring Network for GSP Implementation -  
Santa Rosa Plain Groundwater Subbasin - Shallow Aquifer System**

| Data Management System ID |                    |              |                   |                     |                             |                      |                           |
|---------------------------|--------------------|--------------|-------------------|---------------------|-----------------------------|----------------------|---------------------------|
| Station Name              | Station Number     | Type of Well | Well Depth (feet) | Well Depth Category | Screened Interval(s) (feet) | Monitoring Frequency | Additional ID Information |
| SRP0737                   | SRPDMW-1-190       | Observation  | 190               | Shallow (0-200ft)   | 170-185                     | Sub-Daily            |                           |
| SRP0739                   | SRPDMW-2-82        | Observation  | 82                | Shallow (0-200ft)   | 72-82                       | Sub-Daily            |                           |
| SRP0742                   | SRPDMW-3-50        | Observation  | 50                | Shallow (0-200ft)   | 30-45                       | Sub-Daily            |                           |
| SRP0743                   | SRPDMW-3-86        | Observation  | 86                | Shallow (0-200ft)   | 66-81                       | Sub-Daily            |                           |
| SRP0745                   | SRP-B08-01         | Observation  | 33                | Shallow (0-200ft)   | 18-33                       | Sub-Daily            |                           |
| SRP0746                   | SRP-D08-04         | Observation  | 38                | Shallow (0-200ft)   | 18-38                       | Sub-Daily            |                           |
| SRP0815                   | SRP-ISW-1_Copeland | Observation  | 50                | Shallow (0-200ft)   | 35-45                       | Sub-Daily            |                           |
| SRP0816                   | SRP-ISW-2_Matanzas | Observation  | 48                | Shallow (0-200ft)   | 23-43                       | Sub-Daily            |                           |
| SRP0817                   | SRPDMW-4-115       | Observation  | 115               | Shallow (0-200ft)   | 90-110                      | Sub-Daily            |                           |
| SRP0818                   | SRPDMW-4-175       | Observation  | 175               | Shallow (0-200ft)   | 150-170                     | Sub-Daily            |                           |
| SRP0819                   | SRPDMW-5-100       | Observation  | 100               | Shallow (0-200ft)   | 75-95                       | Sub-Daily            |                           |
| SRP0821                   | SRPDMW-6-195       | Observation  | 195               | Shallow (0-200ft)   | 170-190                     | Sub-Daily            |                           |

**Table 5-3.1. 2026 Revised Groundwater-Level Monitoring Network for GSP Implementation -  
Santa Rosa Plain Groundwater Subbasin - Shallow Aquifer System**

| Data Management System ID       |                    |              |                   |                     |                             |                      |                           |
|---------------------------------|--------------------|--------------|-------------------|---------------------|-----------------------------|----------------------|---------------------------|
| Station Name                    | Station Number     | Type of Well | Well Depth (feet) | Well Depth Category | Screened Interval(s) (feet) | Monitoring Frequency | Additional ID Information |
| <b>City of Santa Rosa Wells</b> |                    |              |                   |                     |                             |                      |                           |
| SRP0265                         | 383862N1227919W001 | Observation  | 35                | Shallow (0-200ft)   | 10-34                       | Semi-Annually        | SRP-05, RECMW101          |
| SRP0278                         | 384064N1227713W001 | Observation  | 32                | Shallow (0-200ft)   | 8-30                        | Semi-Annually        | SRP-06, RECMW104          |
| SRP0283                         | 384130N1228169W001 | Observation  | 42                | Shallow (0-200ft)   | 10-40                       | Semi-Annually        | SRP-08, RECMW108          |
| SRP0295                         | 384232N1227996W001 | Observation  | 45                | Shallow (0-200ft)   | 11-45                       | Semi-Annually        | SRP-07, RECMW105          |
| SRP0309                         | 384525N1227929W001 | Observation  | 42                | Shallow (0-200ft)   | 10-40                       | Semi-Annually        | SRP-11, RECMW111          |
| SRP0653/SR P0734                |                    | Municipal    | 160               | Shallow (0-200ft)   | ?                           | Monthly              | Peter Spring Well         |
| SRP0655/SR P0735                |                    | Municipal    | 208               | Shallow (0-200ft)   | 50-190                      | Monthly              | Carley Well               |
| SRP0720                         |                    | Observation  | 115               | Shallow (0-200ft)   | ?                           | Monthly              | Hoen                      |
| SRP0721                         |                    | Observation  | 150               | Shallow (0-200ft)   | ?                           | Monthly              | Patio                     |
| SRP0723                         | RECMW114           | Observation  | 37.5              | Shallow (0-200ft)   | ?                           | Semi-Annually        | RECMW114                  |
| SRP0727                         | RECMW112           | Observation  | 27.9              | Shallow (0-200ft)   | ?                           | Semi-Annually        | RECMW112                  |
| SRP0730                         | RECMW107           | Observation  | 29.1              | Shallow (0-200ft)   | ?                           | Semi-Annually        | RECMW107                  |

**Table 5-3.1. 2026 Revised Groundwater-Level Monitoring Network for GSP Implementation -  
Santa Rosa Plain Groundwater Subbasin - Shallow Aquifer System**

| Data Management System ID    |                    |              |                   |                     |                             |                      |                           |
|------------------------------|--------------------|--------------|-------------------|---------------------|-----------------------------|----------------------|---------------------------|
| Station Name                 | Station Number     | Type of Well | Well Depth (feet) | Well Depth Category | Screened Interval(s) (feet) | Monitoring Frequency | Additional ID Information |
| <b>Volunteer/Other Wells</b> |                    |              |                   |                     |                             |                      |                           |
| SRP0052                      | SRP-F06-01         | Unknown      | 95                | Shallow (0-200ft)   | ?                           | Semi-Annually        | 08N08W29C003M             |
| SRP0091                      | SRP-I14-03         | Unknown      | 205               | Shallow (0-200ft)   | ?                           | Semi-Annually        | 07N08W35K001M             |
| SRP0106                      | SRP-J16-01         | Unknown      | 90                | Shallow (0-200ft)   | ?                           | Semi-Annually        | 06N08W12M001M             |
| SRP0112                      | SRP-K12-01         | Unknown      | 85                | Shallow (0-200ft)   | ?                           | Semi-Annually        | 07N07W19B001M             |
| SRP0114                      | SRP-K12-03         | Unknown      | 68                | Shallow (0-200ft)   | ?                           | Semi-Annually        | 07N07W19F002M             |
| SRP0267                      | 383882N1228050W001 | Municipal    | 205               | Shallow (0-200ft)   | 113-193                     | Semi-Annually        | SRP-14                    |
| SRP0269                      | 383889N1228088W001 | Unknown      | 160               | Shallow (0-200ft)   | 100-160                     | Semi-Annually        | WGFH-08                   |
| SRP0762                      |                    | Domestic     | 190               | Shallow (0-200ft)   | ?                           | Semi-Annually        |                           |
| SRP0792                      |                    | Domestic     | 172               | Shallow (0-200ft)   | ?                           | Semi-Annually        |                           |
| SRP0752                      |                    | Irrigation   | 140               | Shallow (0-200ft)   | ?                           | Semi-Annually        |                           |
| SRP0790                      |                    | Domestic     | 200               | Shallow (0-200ft)   | ?                           | Semi-Annually        |                           |
| SRP0747                      |                    | Domestic     | 153               | Shallow (0-200ft)   | 43-153                      | Semi-Annually        |                           |

**Table 5-3.1. 2026 Revised Groundwater-Level Monitoring Network for GSP Implementation -  
Santa Rosa Plain Groundwater Subbasin - Shallow Aquifer System**

| Data Management System ID                                                                 |                    |              |                   |                     |                             |                      |                           |
|-------------------------------------------------------------------------------------------|--------------------|--------------|-------------------|---------------------|-----------------------------|----------------------|---------------------------|
| Station Name                                                                              | Station Number     | Type of Well | Well Depth (feet) | Well Depth Category | Screened Interval(s) (feet) | Monitoring Frequency | Additional ID Information |
| <b>Monitored Wells Outside of the Subbasin but Within the Contributing Watershed Area</b> |                    |              |                   |                     |                             |                      |                           |
| <b>City of Santa Rosa Wells</b>                                                           |                    |              |                   |                     |                             |                      |                           |
| SRP0282                                                                                   | 384101N1228271W001 | Observation  | 61                | Shallow (0-200ft)   | 26-60                       | Semi-Annually        | SRP-09, RECMW109          |
| <b>Additional Boundary Wells Outside of the Contributing Watershed Area</b>               |                    |              |                   |                     |                             |                      |                           |
| LRR0004                                                                                   | 384111N1228448W001 | Unknown      | 76                | Shallow (0-200ft)   | ?                           | Monthly              | 07N09W34F001M             |
| LRR0005                                                                                   | 384351N1228597W001 | Unknown      | 160               | Shallow (0-200ft)   | ?                           | Semi-Annually        | WGFH-06                   |
| Notes:<br>Well Depth and Screened Interval(s) reported in feet below top-of-casing        |                    |              |                   |                     |                             |                      |                           |

## DEEP AQUIFER SYSTEM




**Figure 5.3-2. 2026 Revised Groundwater Level Monitoring Network - Deep Aquifer System**

**Table 5-3.2. 2026 Revised Groundwater-Level Monitoring Network for GSP Implementation -  
Santa Rosa Plain Groundwater Subbasin - Deep Aquifer System**

| Data Management System ID                                               |                    |              |                   |                     |                             |                      |                           |
|-------------------------------------------------------------------------|--------------------|--------------|-------------------|---------------------|-----------------------------|----------------------|---------------------------|
| Station Name                                                            | Station Number     | Type of Well | Well Depth (feet) | Well Depth Category | Screened Interval(s) (feet) | Monitoring Frequency | Additional ID Information |
| <b>Monitored Wells Inside the Santa Rosa Plain Groundwater Subbasin</b> |                    |              |                   |                     |                             |                      |                           |
| <b>Sonoma Water Wells</b>                                               |                    |              |                   |                     |                             |                      |                           |
| SRP0344                                                                 | SCWA_OCC_MW_01     | Observation  | 820               | Deep(>500ft)        | 670-740                     | Sub-Daily            |                           |
| SRP0347                                                                 | SCWA_OCC_MW_04     | Observation  | 840               | Deep(>500ft)        | 660-740                     | Sub-Daily            |                           |
| SRP0358                                                                 | SCWA_TODD_BLUE     | Observation  | 570               | Deep(>500ft)        | 550-570                     | Sub-Daily            |                           |
| SRP0359                                                                 | SCWA_TODD_WHITE    | Observation  | 257               | Medium (200-500ft)  | 237-257                     | Sub-Daily            |                           |
| SRP0376                                                                 | SCWA_Airport_MW_03 | Observation  | 360               | Medium (200-500ft)  | 340-360                     | Sub-Daily            |                           |
| SRP0365                                                                 | SCWA_OCC_MW_06     | Observation  |                   | Unknown             | ?                           | Sub-Daily            |                           |
| <b>SRPGSA Wells</b>                                                     |                    |              |                   |                     |                             |                      |                           |
| SRP0738                                                                 | SRPDMW-1-450       | Observation  | 450               | Medium (200-500ft)  | 430-445                     | Sub-Daily            |                           |
| SRP0740                                                                 | SRPDMW-2-281       | Observation  | 281               | Medium (200-500ft)  | 251-276                     | Sub-Daily            |                           |
| SRP0741                                                                 | SRPDMW-2-471       | Observation  | 471               | Medium (200-500ft)  | 456-466                     | Sub-Daily            |                           |
| SRP0744                                                                 | SRPDMW-3-210       | Observation  | 210               | Medium (200-500ft)  | 195-205                     | Sub-Daily            |                           |
| SRP0820                                                                 | SRPDMW-5-405       | Observation  | 405               | Medium (200-500ft)  | 380-400                     | Sub-Daily            |                           |
| SRP0822                                                                 | SRPDMW-6-355       | Observation  | 355               | Medium (200-500ft)  | 330-350                     | Sub-Daily            |                           |
| <b>City of Santa Rosa Wells</b>                                         |                    |              |                   |                     |                             |                      |                           |
| SRP0057                                                                 | SRP-F09-02         | Observation  | 360               | Medium (200-500ft)  | 200-350                     | Sub-Daily            | Northwest Village         |

**Table 5-3.2. 2026 Revised Groundwater-Level Monitoring Network for GSP Implementation -  
Santa Rosa Plain Groundwater Subbasin - Deep Aquifer System**

| Data Management System ID         |                    |              |                   |                     |                             |                      |                                |
|-----------------------------------|--------------------|--------------|-------------------|---------------------|-----------------------------|----------------------|--------------------------------|
| Station Name                      | Station Number     | Type of Well | Well Depth (feet) | Well Depth Category | Screened Interval(s) (feet) | Monitoring Frequency | Additional ID Information      |
| SRP0059                           | SRP-F12-01         | Observation  | 694               | Medium (200-500ft)  | 199-684                     | Semi-Annually        | Place To Play                  |
| SRP0119                           | SRP-L13-01         | Observation  | 380               | Medium (200-500ft)  | 350-370                     | Sub-Daily            | Galvin                         |
| SRP0722                           |                    | Municipal    | 275               | Medium (200-500ft)  | ?                           | Sub-Daily            | W6 Sharon Park                 |
| SRP0111                           | SRP-K11-01         | Observation  | 660               | Deep(>500ft)        | 600-650                     | Sub-Daily            | Slater                         |
| SRP0115                           | SRP-K12-04         | Observation  | 870               | Deep(>500ft)        | 500-860                     | Sub-Daily            | Martha Way                     |
| SRP0718                           |                    | Municipal    | 817               | Deep(>500ft)        | 107-817                     | Sub-Daily            | W3 Freeway                     |
| SRP0068                           | SRP-G11-01         | Observation  | 694               | Deep(>500ft)        | 156-684                     | Sub-Daily            | Northwest Community Park       |
| <b>City of Rohnert Park Wells</b> |                    |              |                   |                     |                             |                      |                                |
| SRP0238                           | SRP-K19-01         | Municipal    | 380               | Medium (200-500ft)  | 130-380                     | Monthly              | 383350N1226841W001, RP Well 37 |
| SRP0249                           | SRP-J17-01         | Municipal    | 462               | Medium (200-500ft)  | 302-462                     | Monthly              | 383694N1226960W001, RP Well 17 |
| SRP0243                           | SRP-H18-01         | Municipal    | 582               | Deep(>500ft)        | 258-582                     | Monthly              | 383544N1227271W001, RP Well 24 |
| SRP0250                           | SRP-K17-01         | Municipal    | 540               | Deep(>500ft)        | 297-540                     | Monthly              | 383706N1226803W001, RP Well 26 |
| <b>City of Sebastopol Wells</b>   |                    |              |                   |                     |                             |                      |                                |
| SRP0725                           | Sebastopol Well #5 | Municipal    | 528               | Deep(>500ft)        | 138-528                     | Sub-Daily            | Sebastopol Well #5             |
| <b>Town of Windsor Wells</b>      |                    |              |                   |                     |                             |                      |                                |
| SRP0724                           | Bluebird_Windsor   | Observation  | 765               | Deep(>500ft)        | 695-745                     | Semi-Annually        | Bluebird Well                  |

**Table 5-3.2. 2026 Revised Groundwater-Level Monitoring Network for GSP Implementation -  
Santa Rosa Plain Groundwater Subbasin - Deep Aquifer System**

| Data Management System ID                                                                 |                    |              |                   |                     |                             |                      |                           |
|-------------------------------------------------------------------------------------------|--------------------|--------------|-------------------|---------------------|-----------------------------|----------------------|---------------------------|
| Station Name                                                                              | Station Number     | Type of Well | Well Depth (feet) | Well Depth Category | Screened Interval(s) (feet) | Monitoring Frequency | Additional ID Information |
| SRP0728                                                                                   | Esposti_Windsor    | Observation  | 670               | Deep(>500ft)        | 380-655                     | Semi-Annually        | Esposti Park Well         |
| <b>Volunteer/Other Wells</b>                                                              |                    |              |                   |                     |                             |                      |                           |
| SRP0019                                                                                   | SRP-D08-02         | Unknown      | 1048              | Deep(>500ft)        | ?                           | Semi-Annually        | 08N09W36P001M             |
| SRP0058                                                                                   | SRP-F10-01         | Unknown      | 220               | Medium (200-500ft)  | ?                           | Semi-Annually        | 07N08W08M001M             |
| SRP0070                                                                                   | SRP-G12-01         | Unknown      | 360               | Medium (200-500ft)  | ?                           | Semi-Annually        | 07N08W21J001M             |
| SRP0235                                                                                   | 383096N1227098W001 | Domestic     | 419               | Medium (200-500ft)  | 118-418                     | Semi-Annually        | St. John                  |
| SRP0732                                                                                   | Foothills_Windsor  | Irrigation   | 350               | Medium (200-500ft)  | 160-350                     | Semi-Annually        | Foothills of Windsor Well |
| SRP0754                                                                                   |                    | Domestic     | 300               | Medium (200-500ft)  | ?                           | Semi-Annually        |                           |
| SRP0765                                                                                   |                    | Domestic     | 350               | Medium (200-500ft)  | ?                           | Semi-Annually        |                           |
| SRP0766                                                                                   |                    | Domestic     | 235               | Medium (200-500ft)  | ?                           | Semi-Annually        |                           |
| <b>Monitored Wells Outside of the Subbasin but Within the Contributing Watershed Area</b> |                    |              |                   |                     |                             |                      |                           |
| <b>City of Santa Rosa Wells</b>                                                           |                    |              |                   |                     |                             |                      |                           |
| SRP0109                                                                                   | SRP-K10-01         | Observation  | 470               | Medium (200-500ft)  | 390-460                     | Sub-Daily            | Madrone                   |
| SRP0717                                                                                   |                    | Municipal    | 316               | Medium (200-500ft)  | ?                           | Sub-Daily            | Brigadoon                 |
| <b>Volunteer/Other Wells</b>                                                              |                    |              |                   |                     |                             |                      |                           |
| SRP0252                                                                                   | 383722N1227978W001 | Unknown      | 220               | Medium (200-500ft)  | ?                           | Semi-Annually        | WGFH-10                   |

**Table 5-3.2. 2026 Revised Groundwater-Level Monitoring Network for GSP Implementation -  
Santa Rosa Plain Groundwater Subbasin - Deep Aquifer System**

| Data Management System ID                                                         |                    |              |                   |                     |                             |                      |                           |
|-----------------------------------------------------------------------------------|--------------------|--------------|-------------------|---------------------|-----------------------------|----------------------|---------------------------|
| Station Name                                                                      | Station Number     | Type of Well | Well Depth (feet) | Well Depth Category | Screened Interval(s) (feet) | Monitoring Frequency | Additional ID Information |
| SRP0266                                                                           | 383868N1228151W001 | Unknown      | 260               | Medium (200-500ft)  | 130-250                     | Semi-Annually        | WGFH-11                   |
| SRP0275                                                                           | 383980N1226270W001 | Unknown      | 254               | Medium (200-500ft)  | 234-254                     | Semi-Annually        |                           |
| <b>Additional Boundary Wells Outside the Contributing Watershed Area</b>          |                    |              |                   |                     |                             |                      |                           |
| LRR0007                                                                           | 384505N1228683W001 | Unknown      | 225               | Medium (200-500ft)  | ?                           | Monthly              | 07N09W16M001M             |
| Notes<br>Well Depth and Screened Interval(s) reported in feet below top-of-casing |                    |              |                   |                     |                             |                      |                           |